

Wheelchair Passing Spaces



Turning Requirements



TOTAL NUMBER OF PARKING SPACES FOR PROJECT = 15
MINIMUM NUMBER OF ACCESSIBLE SPACES: ONE MUST BE VAN ACCESSIBLE

A. 18' minimum length of parking spaces
B. 8' minimum width of parking spaces
C. Minimum 8' x 18' access aisle
D. Surface of the parking spaces and access aisles do not exceed 1:50 gradient (2.0%) in any direction

Accessible Parking Layout



Door Thresholds



Doors in a Series



Door Clearances



Guardrails & Ramps



Handrails & Grab Bars



Wall Fountains (Drinking)









Restrooms

B&CK associates

Brittany Wong / Clay Calkins / Kelly Rehm

PROJECT: Chroma Gallery
LOCATION: 427 North 9th Avenue, Tucson, AZ
LOT PARCEL: 0390

No.	Description	Date
1	10% Submission	2/15/10
2	35% Submission	3/10/10
3	65% Submission	4/5/10
4	100% Submission	4/23/10

ARC 441: Construction Documents
Approver

Chroma Gallery

Accessibility Requirements

Project Number	4
Date	April 23, 2010
Drawn by	Author

G1.01

Scale

4/23/2010 9:34:02 PM